

tapflo®

# HYGIENIC PUMPS

clean and safe in real life

edition 2017 rev 1



» All about your flow

[www.tapflo.com](http://www.tapflo.com)



food & beverage industry

when it comes to being clean

# hygienic pumping

Whether you are handling food, beverages, cosmetics, pharmaceuticals or biotech products the fundamentals are very basic – the process equipment shall not contaminate the handled product and it shall be cleanable in desired way. So how will you be able to determine if your equipment such as pumps is safe and fulfills your requirements? A number of standards and directives for hygienic equipment are applicable. In this brochure you will learn more about them and how we have incorporated them in our hygienic product range.

The chart on the next pages gives you a brief introduction to applicable directives, norms and regulations and how they are incorporated in our pump range.

pharmaceutical &  
biotechnology industry



cosmetic industry



# Providing accurate pumps to fulfill your needs

✓ = standard      ✓ = option

\* Certificate delivered with the pump (for other- on request)



### USP VI approved materials

U.S. Pharmacopeial Convention (USP) class I to VI defines how a plastic or rubber material may be exposed of human tissue. Class VI requires the most stringent testing and such materials may be used for example in implant devices.



### EHEDG certified products

The EHEDG (European Hygienic Engineering & Design Group) certificate proves that the design is according to the hygienic guidelines. Furthermore certified products are clean ability tested.



### FDA §21 CFR 177 materials

FDA (U.S. Food and Drug Administration) §21 CFR 177 lists polymers, e.g. rubber and plastic materials approved for equipment in contact with food products.

### EN 10204

### EN 10204 material traceability

The EN 10204 norm gives you a checklist and traceability of materials used in the equipment. 2.1 is a general statement of compliance with material specifications, while 3.1 provides specific track records all the way to the steel mill batch (normally only on metals in contact with the product).



### EC 1935/2004 regulation

This EU regulation applies to all food contact materials, e.g. metals, plastics and rubber materials. It requires that these materials are safe, are labeled with the glass-and-fork symbol, are traceable throughout the production chain (according to above EN 10204) and that they are produced according to good manufacturing practice (GMP).



### CE conformance

A product classified as machinery that carries the CE mark fulfill the essential health and safety requirements of the EC Machinery Directive 2006/42/EEC.



### ATEX Directive 94/9/EC

Equipment intended and approved for safe operation in potentially explosive atmospheres. The equipment is divided in main groups, categories, apparatus groups and temperature classes to define its suitability in the actual zone.

## AODD Diaphragm pumps



Pharmaceutical



EHEDG pumps



Sanitary pumps



	Pulsation dampeners	Centrifugal pumps	Hose pumps
--	---------------------	-------------------	------------



Metal pumps



PE & PTFE pumps



Sanitary dampeners



CTH pumps



CTM pumps




CTS-H pumps



PT pumps



PTL pumps



# Integrated into your plant

## Clean water

Clean water or so called deionized water (clean water free from carbon molecules) is used widely in food and pharmaceutical processing plants. Extremely important here is using 316L (low carbon) steel. Use of normal 316 will cause "picking" inside the pump when carbon molecules are "stolen back" by the deionized water. This will turn deionized water to normal water, the process will fail and also the pump will be destroyed. **The solution is using the Tapflo CTH centrifugal pump that always come with 316L wetted materials and optionally sintered (pure) silicon carbide seals.**



**CIP feeding pump**

## CIP cleaning

CIP cleaning (Clean In Place) is an automatic cleaning system where the pipe system with its pumps, valves and other equipment is flushed with a cleaning liquid, all while the system is assembled. To obtain sufficient cleanliness, the CIP flow speed in the system is minimum 1.5 to 2.0 m/s, relatively low back pressure up to 1 bar is required. **Tapflo CTH range is commonly used as CIP pump for pipe systems from 3/4" up to 4" (DN 15 up to DN 100). For the concentrated cleaning chemicals, small sized 3/8" or 1/2" plastic diaphragm pumps are typically used.**



**CIP preparation pump**



**CIP return pump**

**Process pump for handling hygienic liquids**



## SIP cleaning

SIP cleaning, Sterilize In Place is widely used in pharmaceutical industry, but becomes more and more popular also in food and beverage industries. Two methods are used for SIP, either the classic steam injection where basically no pumps are required, or liquid sterilization in closed pressurized (2 bar) system. This second method saves process equipment like pumps from dry running, saving costs and life of mechanical seals etc.

handling liquids in hygienic industries

# refining your process

In your production plant there are numerous of pump applications. Main focus is probably pumps for the ready products and clean water, however there are also just as much needs of pumps for ingredients, additives and auxiliary applications like detergents, chemicals and solvents.

**Whichever part of your process, we will provide the suitable pump solution.**

## **Moving the product**

The above mentioned applications are keystones in almost all food-beverage and pharmaceutical processes. However pumping the ready product is usually the greatest challenge. The first challenge is that the nature of the product might be demanding for process equipment like pumps; high viscosity, big solids or abrasive ingredients. The second challenge is that the product shall maintain its shape and nature after the process, without any destroying of solids, shearing or contamination. For these types of duties, a cleanable pump design, selection of materials and traceability are crucial. CTH centrifugal pumps, sanitary and EHEDG diaphragms pumps and PT/PTL hose pumps are used.



# Application examples

## food & beverage

World famous food & beverage producers as well as smaller local makers use Tapflo pumps in their processes. These two pages show a selection of them.

### Some of our customers:

- Kraft
- Nestle
- Coca Cola
- Carlsberg
- Unilever
- Danone



### Food Industry

#### » Pumped media

Sugar and starch syrups – chocolate products

#### » Pump

TJ125 STT sanitary pump with heating jacket

#### » Application description

Transfer at ambient temperature



### Food Industry

#### » Pumped media


Curd chesse - dairy products

#### » Pump

T425 SWT sanitary diaphragm pump

#### » Application description

Filling of packing machine, 9 mm grain contents, ambient temperature



## Food Industry

### » Pumped media

Vanilla custard - dairy products

### » Pump

T244 STT aseptic EHEDG diaphragm pump

### » Application description

Transfer to filling machine, ambient temperature



## Food Industry

### » Pumped media

Chocolate glaze for ice cream – dairy products

### » Pump

CTH BB hygienic centrifugal pump

### » Application description

Emptying of ice cream machine

# Application examples

## pharmaceutical, biotech & cosmetics

Some of the most exclusive Tapflo pumps are used in multinational pharma-, biotech- and cosmetic industries.

A handful of examples are shown on these pages.

### Some of our customers:

- Glaxo Smith Kline
- Astra Zeneca
- Pfizer
- Eli Lilly
- Novartis




### Pharmaceutical Industry

- » **Pumped media**  
Oils and ethanol
- » **Pump**  
T80 STT sanitary diaphragm pump
- » **Application description**  
Pumping from tanks, transport and dosing



### Pharmaceutical Industry

- » **Pumped media**  
Mushroom culture organic suspension
- » **Pump**  
CTH CE hygienic centrifugal pump and TX30 STT sanitary diaphragm pump
- » **Application description**  
Unloading from fermentation process reactor (CTH pump) and emptying of mushroom culture sediments (TX30 pump)



## Pharmaceutical Industry

- » **Pumped media**  
Solvent pumping
- » **Pump**  
TX120 STT industrial stainless steel diaphragm pump
- » **Application description**  
Mobile nit for solvent pumping, with nitrogen pipe purge system



## Hygiene Products

- » **Pumped media**  
Shampoos and liquid soaps
- » **Pump**  
T125 STS sanitary diaphragm pump
- » **Application description**  
Transfer of shampoos and liquid soaps directly to filling machines

# Product range

## Fast Facts:

- Capacity 0-820 l/min (216 US gpm)
- Pressure 0 – 8 bar (116 psi)
- Sizes Sanitary 1" up to 3"  
EHEDG DN40 - DN65  
Plastic 1/8" up to 3"
- Materials PE, PTFE, and stainless steel AISI 316L (other material on request)

## Major Benefits:

- Very easy to control capacity and pressure by regulating air pressure and flow
- Self-priming and able to run dry without damage
- Hygienic smooth surface and long life diaphragms
- Pollution free and non-stalling air valve



EHEDG pumps



Sanitary pumps

### EHEDG aseptic diaphragm pumps

The EHEDG aseptic series AODD pumps are designed to pump food products, cosmetics or pharmaceuticals. This EHEDG (European Hygienic Engineering & Design Group) series is certified by the Danish Technological Institute and it guarantees that the design and selected materials are according to the guidelines. Apart from the design approval, the series has also been clean ability tested and approved.

The pumps are made from AISI 316L stainless steel with mirror polished surface finish Ra 0.8 (standard) or Ra 0.4 upon request. Plastics and rubbers are FDA and USP VI approved. The pumps are designed for cleaning and sterilization in place (C.I.P. and S.I.P.).

3.1 trace ability documents will always follow when you receive your Tapflo EHEDG aseptic pump.

### Sanitary pumps diaphragm pumps

This pump series is sanitary designed with wetted metal parts in electro polished stainless steel AISI 316L, with possibility of extra fine surface finish Ra 0.8. Plastics and rubbers are FDA approved. The pumps are designed for cleaning and sterilization in place (C.I.P. and S.I.P.). Furthermore the manifold clamp connections and housing screws make it quick and easy to dismantle and manually clean the pumps internally.

## Options



- Flap valves - big solids handling up to 100 mm in diameter



- Ball cup valves - for easy valve seat replacement when pumping abrasive liquids



- Magnetic ball lifters - full pump drainability without disconnecting it from the installation

meeting your needs with versatile

# air operated diaphragm pumps

Tapflo AODD range is extremely versatile, handling all sorts of liquid products: thin, thick, with solids, and sensitive.

## Plastic diaphragm pumps

Pumps made of polyethylene (PE HD) or virgin PTFE plastics handle all kind of chemicals, in food and beverage industries they are mainly used for pumping C.I.P. chemicals. In pharmaceutical industries they handle all types of raw chemicals. The pumps are available also in explosion proof ATEX-marked versions.



PE & PTFE pumps

## Metal diaphragm pumps

Molded industrial pumps in glass blast stainless steel AISI 316L, typically used for raw chemicals, solvents and waste applications. The pumps are available also in explosion proof ATEX-marked versions.



Metal pumps

### Available options:

**Heating jacket** is available on the sanitary pumps, typically used in chocolate and glaze applications

**Flap valves** is an option on sanitary pumps, the perfect solution for gentle pumping of big size solids up to 48 mm.

**Pneumatic systems** are available for all our diaphragm pumps, adding increased safety by automatic control and monitoring:

- » Diaphragm rupture guardian system
- » Dead head and dry run guardian system
- » Batch control
- » Level control
- » Start & start units

## Sanitary active pulsation dampeners:

The sanitary series of Tapflo dampeners has been designed in particular for food, beverage, pharmaceutical and cosmetic industries where cleanliness and sterile environment is necessary.

### Made to be clean

The dampener is designed and prepared for cleaning and sterilization in place – C.I.P. and S.I.P. These are automatic cleaning and disinfection procedures implemented in these industries so it is essential that our products are prepared to comply with these procedures.



# Product range

## Fast Facts Centrifugal Pumps:

- Capacity 1-60 m<sup>3</sup>/h (264 US gpm)
- Head 2 – 47 m (154 ft)
- Sizes ¾" up to 2 ½", 0.12– 11 kW
- Materials PP, PVDF and stainless steel  
AISI 316L

## Major Benefits Centrifugal Pumps:

- The centrifugal principle gives a very high capacity
- Pumps made from AISI 316L, ideal for any food contact applications
- Big choice of sealing face materials
- Many options available, see below

Our centrifugal pumps are very efficient, pumping low and medium viscous liquids with high capacity in relation to the size of the pumps. Mechanical sealed pumps in stainless steel, as well as seal less pumps in plastics PP and PVDF are available.



CTH pumps



CTM pumps



CTS-H pumps

### CTH centrifugal pumps

This hygienic single mechanical sealed pump series is supplied with electro polished Ra 0.8 pump casing and internals. This pump series is especially dedicated for hygienic duties in food and beverage industries. A wide range of sealing face materials are available – ceramic, graphite, SiC and with o-rings in FDA approved EPDM, FKM or FEP.

A number of special executions are available:

- » Heating jacket – Great protection for the mechanical seal in applications with risk of solidification, example chocolate glaze, paraffin, starch, glucose syrup and margarine etc.
- » Hygienic shroud – Easier to keep the pump externals clean, protects the motor from spraying water.
- » Casing drainage – By positioning the outlet horizontal at the bottom, or by means of a drain connection the pump features a hygienic and automatic draining.
- » Long coupled – The perfect solution for hot products like eatable oils

### CTM magnetic drive centrifugal pumps

These nonmetallic magnetic drive centrifugal pumps are ideal for low viscous chemicals. Made from either PP or PVDF, they safely handle concentrated C.I.P. chemicals.

### CTS-H self-priming centrifugal pumps

These open impeller self-priming centrifugal pumps, manufactured with excellent electro polished surfaces, FDA approved seals, high finish and mechanical strength, meet the demands from food and sanitary applications.

meeting your needs with versatile

# centrifugal and hose pumps

Our peristaltic pumps, PT & PTL, combine the best available materials with smart design solutions in order to maximize running time and minimize maintenance.

## PT and PTL peristaltic pumps - hose pumps

The high pressure PT series allows pressures up to 15 bar, while PTL is the low pressure series with max pressure 4 bar.



PT pumps



PTL pumps


## Fast Facts Peristaltic Pumps:

- Capacity PT: up to 88 m<sup>3</sup>/h (387 US gpm)  
PTL: up to 10 m<sup>3</sup>/h (44 US gpm)
- Pressure PT: up to 15 bar (218 psi)  
PTL: up to 4 bar (58 psi)
- Sizes PT: 5 up to 125 mm hose  
PTL: 9 up to 45 mm hose
- Hose materials PT: NR, NR food (FDA), NBR, NBR food (FDA), EPDM, Hypalon, FKM  
PTL: Neoprene, Norprene, Silicone, Pharmed, Hypalon, EPDM, NR, NBR


## Major Benefits Peristaltic Pumps:

- Easy maintenance, hose is only worn component
- Long hose life with unique hose composition
- Great choice of food approved hose materials
- Reversible flow
- Self-priming up to 9.8 m
- Able to pump high viscous products

# Tailor made pump systems



Mobile filter press unit for fruit squeezing, CTH pumps used for pumping fruit juice to storage tanks.



Handle your viscous product

# Drum unloading system

Referring to market request for gentle handling of high viscous products Tapflo Group decided to combine unique advantage of our sanitary range with advanced system providing reliable and safe solution for unloading drums.

## Major Benefits:

- Gentle fluid handling
- Robust and safe design
- Advanced control

## Typical applications:


- Tomato paste
- UV inks
- High viscous pastes
- High viscous pastes



# tapflo®



## Tapflo expansion in the world



# All about your flow

Tapflo is a leading pump manufacturer with the ambition to provide a wide range of premium products for various industrial applications. We focus on delivering the best fluid processing solutions and support on all stages of the process, worldwide.



## About Tapflo

Tapflo is an independent, Swedish, family owned, manufacturer and global supplier of air operated diaphragm pumps, centrifugal pumps and other industrial process equipment. The company was founded in Kungälv, Sweden in 1980 and has since then been working with design and manufacture of thermoplastic, metal and sanitary series diaphragm pumps and also with complete range of centrifugal pumps and industrial equipment. After years of dynamic development the company evolved into Tapflo Group with worldwide operations. Tapflo Group is represented by own companies and independent distributors all over the world on 6 continents.

## Our values

### ■ Long term engagement is our core

Our aim is to continuously provide premium products according to evolving needs of our customers. That is why we see each customer relationship as a long term commitment.

### ■ Local means on your terms

Tapflo is your global partner providing local support. No matter where your plant is located you can expect us to support you locally.

### ■ Flexibility the foundation of good service


We are prepared to deal with reality, knowing that in practice this means answering questions, offering solutions and supplying spare parts with a minimal loss of time.

### ■ Customizing to bring the product to the needs

Our intention is always to help our clients find the most cost effective solutions to increase their company's efficiency. If this means changing the design of the pump we see it as a challenge - not a problem.

### ■ To produce is to develop

When you are actively involved in the manufacturing of a product, it is almost impossible not to discover ways to improve it. This allows us to frequently offer solutions that are even more sustainable and efficient.



# TAPFLO AB

## Sweden

Filaregatan 4 | S-442 34 Kungälv

Tel: +46 303 63390

Fax: +46 303 19916

E-mail addresses:

Commercial questions: [sales@tapflo.com](mailto:sales@tapflo.com)

Orders: [order@tapflo.com](mailto:order@tapflo.com)

Tech support: [support@tapflo.com](mailto:support@tapflo.com)

## Tapflo products and services are available in 75 countries on 6 continents.

Tapflo is represented worldwide by own Tapflo Group Companies and carefully selected distributors assuring highest Tapflo service quality for our customers' convenience.

AUSTRALIA | AUSTRIA | AZERBAIJAN | BAHRAIN | BELARUS | BELGIUM | BOSNIA | BRAZIL | BULGARIA | CANADA | CHILE | CHINA | COLOMBIA | CROATIA | CZECH REPUBLIC | DENMARK | ECUADOR | EGYPT | ESTONIA | FINLAND | FRANCE | GREECE | GEORGIA | GERMANY | HONG-KONG | HUNGARY | ICELAND | INDIA | INDONESIA | IRAN | IRELAND | ISRAEL | ITALY | JAPAN | JORDAN | KAZAKHSTAN | KUWAIT | LATVIA | LIBYA | LITHUANIA | MACEDONIA | MALAYSIA | MEXICO | MONTENEGRO | MOROCCO | THE NETHERLANDS | NEW ZEALAND | NORWAY | POLAND | PORTUGAL | PHILIPPINES | QATAR | ROMANIA | RUSSIA | SAUDI ARABIA | SERBIA | SINGAPORE | SLOVAKIA | SLOVENIA | SOUTH AFRICA | SOUTH KOREA | SPAIN | SUDAN | SWEDEN | SWITZERLAND | SYRIA | TAIWAN | THAILAND | TURKEY | UKRAINE | UNITED ARAB EMIRATES | UNITED KINGDOM | USA | UZBEKISTAN | VIETNAM

## Tapflo Group Companies

### Austria

Tapflo Austria  
Tel: +43 732 27292910  
[sales@tapflo.at](mailto:sales@tapflo.at)

### Croatia

Tapflo GmbH  
Tel: +385 91 4884 666  
[sales@tapflo.hr](mailto:sales@tapflo.hr)

### India

Tapflo Fluid Handling India Pvt Ltd  
Tel: +91 20 65000215  
[ad@tapflo.in](mailto:ad@tapflo.in)

### Romania

S.C. Tapflo Rom. S.r.l.  
Tel: +40 21 3451255  
[sales@tapflo.ro](mailto:sales@tapflo.ro)

### South Africa

Tapflo (Pty) Ltd  
Tel: +27 31 701 5255  
[sales@tapflo.co.za](mailto:sales@tapflo.co.za)

### Azerbaijan

Tapflo Azerbaijan LLC  
Tel: +994 502660799  
[sales@tapflo.az](mailto:sales@tapflo.az)

### Czech Republic

Tapflo s.r.o.  
Tel: +420 513 033 924  
[tapflo@tapflo.cz](mailto:tapflo@tapflo.cz)

### Ireland

Tapflo Ireland Ltd  
Tel: +353 1 2011911  
[info@tapflo.ie](mailto:info@tapflo.ie)

### Russia

Tapflo Company  
Tel: +7 495 232 18 28  
[sales@tapflo.com.ru](mailto:sales@tapflo.com.ru)

### Turkey

Tapflo Makina Ltd  
Tel: +90 216 467 33 11  
[sales@tapflo.com.tr](mailto:sales@tapflo.com.tr)

### Baltic States

Tapflo Latvia  
Tel: +371 67472205  
[sales@tapflo.lv](mailto:sales@tapflo.lv)

### China

Tapflo (Wuxi)  
Tel: +86 510 8241 7602  
[sales@tapflo.cn](mailto:sales@tapflo.cn)

### Italy

Tapflo Italia  
Tel: +39 0362307698  
[info@tapfloitalia.com](mailto:info@tapfloitalia.com)

### Serbia

Tapflo d.o.o.  
Tel: +381 21 44 58 08  
[sales@tapflo.rs](mailto:sales@tapflo.rs)

### Ukraine

TOB Tapflo  
Tel: +380 44 222 68 44  
[sales@tapflo.com.ua](mailto:sales@tapflo.com.ua)

### Belarus

Tapflo Belarus  
Tel: +375 17 3934609  
[sales@tapflo.by](mailto:sales@tapflo.by)

### Denmark

Tapflo Danmark  
Tel: +45 36 454600  
[info@tapflo.dk](mailto:info@tapflo.dk)

### Japan

Tapflo Japan K.K.  
Tel: +81-3-6240-3510  
[tapflojp@tapflo.co.jp](mailto:tapflojp@tapflo.co.jp)

### Slovakia

Tapflo s.r.o.  
+421 911 137 883  
[tapflo@tapflo.sk](mailto:tapflo@tapflo.sk)

### Uzbekistan

Tapflo Uzbekistan  
Tel: +998 712370940  
[sales@tapflo.uz](mailto:sales@tapflo.uz)

### Bulgaria

Tapflo EOOD  
Tel: +359 (0)2 974 18 54  
[office@tapflo.bg](mailto:office@tapflo.bg)

### France

Tapflo France  
Tel: +33 1 34 78 82 40  
[info@tapflo.fr](mailto:info@tapflo.fr)

### Kazakhstan

Tapflo Kazakstan  
Tel: +7 727 3278347  
[sales@tapflo.kz](mailto:sales@tapflo.kz)

### Slovenia

Tapflo GmbH  
Tel: +386 68 613 474  
[sales@tapflo.hr](mailto:sales@tapflo.hr)

### United Kingdom

Tapflo (UK) Ltd  
Tel: +44 2380 252325  
[sales@tapflo pumps.co.uk](mailto:sales@tapflo pumps.co.uk)

### Canada

Tapflo Canada  
Tel: +1 514 813 5754  
[canada@tapflo.com](mailto:canada@tapflo.com)

### Georgia

Tapflo Georgia  
Tel: +995 577 463010  
[sales@tapflo.ge](mailto:sales@tapflo.ge)

### Poland

Tapflo Sp. z o.o.  
Tel: +48 58 530 42 12  
[info@tapflo.pl](mailto:info@tapflo.pl)

### Spain

Tapflo Iberica  
Tel: +34 91 8093182  
[avives@tapfloiberica.es](mailto:avives@tapfloiberica.es)